




184 STREET

UB

0.08 dec

letdown

56.11
56.16

56.37

56.42

56.47

56.45

56.30

56.43

56.48

56.53

56.58

56.85

57.06

57.16

57.30

57.45

57.60

57.75

57.90

58.05

58.20

58.35

58.50

58.65

58.80

58.95

56.42

56.47

56.52

56.57

56.62

56.67

56.72

56.77

56.82

56.87

56.92

56.97

57.02

57.07

57.12

57.17

57.22

57.27

57.32

57.37

57.42

57.47

57.52

57.57

57.62

crown of asphalt

sign

post box

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

tree replacement

FENCE IS REQUIRED

LANDSCAPE NOTES:

FORNT YARD:

- MIN. 12 SHRUBS

- MIN. SIZE 5 GALLON POTS

- MIN. 10 ANNUAL IN A 10sf PLATING BED

- PLUS REPLACEMENT TREES AS PER APPROVED TREE PLAN

RETAINING WALL NOTES:

- IN FRONT YARD ALLEN BLOCKS OR EXPOSED AGGREGATE ONLY

- ALL RETAINING WALLS TO BE SETBACK A MIN. 1m AWAY FROM ALL PROPERTY LINES.

DRIVEWAY NOTES:

- EXPOSED AGGREGATE OR PAVERS OR STAMPED CONCRETE.

- FRONT SIDEWALK TO MATCH.

DRIVEWAY NOTES:

- EXPOSED AGGREGATE FINISH.

- PAVERS, STAMPED CONCRETE.

- FRONT, SIDEWALK TO MATCH

RETAINING WALL NOTES:

- FRONT YARD ALLEN BLOCK EXPOSED AGGREGATE ONLY

- ALL RETINING WALLS TO BE SETBACK MIN. 1.0m AWAY FROM PL.

LANDSCAPE NOTES:

- MIN. 12 SHRUBS

- MIN. SIZE 5 GAL POT

- MIN. 10 ANNUALS

- PLUS REPLACEMENT TREES AS PER TREE PLAN

FENCE ARE REQUIRED.

LOT #4

ROOF RIDGE= 66.64

MEAN HEIGHT= 65.27

TRUSS BOTTOM= 63.90

TOP FLOOR= 61.14

MAINFLOOR= 57.71

AVERAGE GRADE= 57.08

MBE= 57.45

GARGE REAR = 57.48

GARAGE FRONT = 57.41

LOT #4

ROOF RIDGE= 66.64

MEAN HEIGHT= 65.27

TRUSS BOTTOM= 63.90

TOP FLOOR= 61.14

MAINFLOOR= 57.71

AVERAGE GRADE= 57.08

MBE= 57.45

GARGE REAR = 57.48

GARAGE FRONT = 57.41

LOT #4

ROOF RIDGE= 66.64

MEAN HEIGHT= 65.27

TRUSS BOTTOM= 63.90

TOP FLOOR= 61.14

MAINFLOOR= 57.71

AVERAGE GRADE= 57.08

MBE= 57.45

GARGE REAR = 57.48

GARAGE FRONT = 57.41

LOT #4

ROOF RIDGE= 66.64

MEAN HEIGHT= 65.27

TRUSS BOTTOM= 63.90

TOP FLOOR= 61.14

MAINFLOOR= 57.71

AVERAGE GRADE= 57.08

MBE= 57.45

GARGE REAR = 57.48

GARAGE FRONT = 57.41

LOT #4

ROOF RIDGE= 66.64

MEAN HEIGHT= 65.27

TRUSS BOTTOM= 63.90

TOP FLOOR= 61.14

MAINFLOOR= 57.71

AVERAGE GRADE= 57.08

MBE= 57.45

GARGE REAR = 57.48

GARAGE FRONT = 57.41

LOT #4

ROOF RIDGE= 66.64

MEAN HEIGHT= 65.27

TRUSS BOTTOM= 63.90

TOP FLOOR= 61.14

MAINFLOOR= 57.71

AVERAGE GRADE= 57.08

MBE= 57.45

GARGE REAR = 57.48

GARAGE FRONT = 57.41

LOT #4

ROOF RIDGE= 66.64

MEAN HEIGHT= 65.27

TRUSS BOTTOM= 63.90

TOP FLOOR= 61.14

MAINFLOOR= 57.71

AVERAGE GRADE= 57.08

MBE= 57.45

GARGE REAR = 57.48

GARAGE FRONT = 57.41

LOT #4

ELEVATIONS IN METERS:

ROOF RIDGE= 66.64

MEAN HEIGHT= 65.27

TRUSS BOTTOM= 63.90

TOP FLOOR= 61.14

MAINFLOOR= 57.71

AVERAGE GRADE= 57.08

MBE= 57.45

GARGE REAR = 57.48

GARAGE FRONT = 57.41

ZONE - RFSD

F.A.R:

ALLOWED = 1950 sf

PROPOSED = 1902.22 sf

SITE COVERAGE:

ALLOWED @60%= 1700 sf

PROPOSED= 1515 sf

6886 184 st

LOT 4 SECTION 16 TOWNSHIP 8
NEW WESTMINSTER DISTRICT
PLAN EPP 124241

LOT AREA= 3158.27 sf
(293.41m2)

PID:031-958-117

STM. MH
Rim=57.08

SAN. MH
Rim=57.08

SAN. MH
Rim=57.41

STM. MH
Rim=57.49

SRW PLAN

1 SITE PLAN
3/16" = 1'-0"

THESE PLANS ARE IN COMPLIANCE WITH THE 2018 BCBC

APEX DESIGN GROUP INC.
Address: #202-8484-128th Street, Surrey, BC V3W 4G3
Office: (604) 543-8281 Fax: (604) 543-8248
THESE PLANS CONFORM WITH THE BUILDING SCHEME REGISTERED IN THE LAND TITLE OFFICE
Signature: *[Signature]* Date: OCT 18, 2023
Initials: *[Initials]* Date: OCT 18, 2023
EXTENT OF CONSULTANTS REVIEW: Plans are reviewed for conformance with the Registered Building Scheme. **PLANS ARE NOT REVIEWED FOR:** Conformance with the B.C. Building Code or Zoning Bylaws, Structural Integrity or the accuracy of Specifications EXCEPT with respect to the Registered Building Scheme. *S.KAILA*

DWG NO: **A1**

SHEET TITLE: **SITEPLAN**

PROJECT: **Shamjit Kaila**

LOT 4, 6886 184st

SCALE: **3/16" = 1'-0"**

DATE: **Aug 24/ 2023**

DRAWN BY: **G.S**

DISCLAIMER: These plans contain copyrighted information that is the property of SINGH DRAFTING AND HOME PLANS LTD. Reproduction in part or whole without the written permission of SINGH DRAFTING AND HOME PLANS LTD. is prohibited. SINGH DRAFTING AND HOME PLANS LTD. is not responsible for any errors or omissions or for any consequences arising from the use of these plans.

SINGH DRAFTING AND HOME PLANS LTD.
14172 77A AVE, SURREY, BC V3W2X3 (604)379.6000 SINGHDRAFTING@HOTMAIL.COM

GENERAL NOTES:


1. THE DESIGNER MAKES EVERY EFFORT TO PROVIDE COMPLETE AND ACCURATE HOME PLANS. HOWEVER, WE ASSUME NO LIABILITY FOR ANY ERRORS AND OR OMISSIONS WHICH MAY AFFECT CONSTRUCTION. IT IS THE RESPONSIBILITY OF THE BUILDER TO CHECK AND VERIFY ALL DIMENSIONS AND DETAILS BEFORE PROCEEDING WITH CONSTRUCTION. SHOULD ANY DISCREPANCIES BE FOUND ON THESE PLANS IT IS INCUMBENT ON YOU TO ADVISE OUR OFFICE AS SOON AS POSSIBLE. BY DOING SO WE WILL BE ABLE TO MAKE CORRECTIONS TO THE DRAWINGS AND REPLACE ANY PLANS IF NECESSARY. IN THIS WAY WE CAN BETTER SERVE YOU AND PREVENT ERRORS FROM REOCCURRING.
2. ALL FOOTINGS MUST BE PLACED ON UNDISTURBED OR COMPACTED SOILS AND BELOW THE FROST LINE. FOUNDATIONS WALL HEIGHTS AND THICKNESSES AS WELL AS FOOTING SIZES MAY NEED TO BE ADJUSTED AND/ OR REINFORCED DUE TO SITE CONDITIONS. ANY ENGINEERING SERVICES REQUIRED ARE THE RESPONSIBILITIES OF THE OWNER OR BUILDER.
3. APPROVED SMOKE ALARMS AND PHOTO ELECTRIC TO BE INSTALLED AS PER BCBC CODE.
4. BUILDER TO CHECK SNOW LOADS REQUIREMENTS FOR THEIR LOCAL AREA AND MAKE ANY NECESSARY ADJUSTMENTS PRIOR TO PROCEEDINGS WITH CONSTRUCTION.
5. CARBON MONOXIDE ALARMS SHALL CONFORM TO CSA 6.19, "RESIDENTIAL CARBON MONOXIDE ALARMING DEVICES".
6. DAMPROOFING OF 6 MIL POLYETHYLENE, WITH SEAMS LAPPED AND TAPED, OVER 4" OF GRANULAR FILL SHALL BE LAID UNDER CONCRETE SLABS. A FLEXIBLE SEALANT SHALL BE PLACED WHERE THE SLAB AND FOUNDATION WALL MEET.
7. DIMENSIONS TAKE PRECEDENCE TO SCALE.
8. DRAINAGE AROUND FOUNDATION TO CONSISTING OF A 4" DIAMETER PIPED COVERED WITH A MINIMUM OF 6" CRUSHED STONE SHALL BE PLACED AROUND THE PERIMETER OF THE BUILDING.
9. ENSURE THAT WINDOWS IN BEDROOMS HAVE A MINIMUM AREA OF .35m² (3.75FT²) WITH AN UNOBSTRUCTED HEIGHT AND WIDTH OF 380mm(15"). THE WINDOW OPENING SHALL BE A MAXIMUM OF 1.5m(5') ABOVE THE FLOOR.
10. EXTERIOR DIMENSIONS ARE TO THE FACE OF SHEATHING.
11. EXTERIOR WALLS ARE DRAWN AT 5.5" STUDS AND 1/2" PLYWOOD OR OSB SHEATHING OR AS STRUCTURAL ENGINEER SPECS.
12. FOUNDATION WALLS TO HAVE 1 1/2" R-12 RIGID INSULATION TO MIN. 24" BELOW GRADE. ATTIC SPACES TO HAVE MIN. R-44. ROOF JOISTS AND CANTLEVERED FLOORS MIN. R-28. EXTERIOR 2X6 WALLS MIN. R-22. INTERIOR BASEMENT 2X4 WALLS MIN. R-14 IF REQUIRED.
13. LIGHTING AND ELECTRICAL LAYOUTS TO BE SPECIFIED BY THE OWNER OR BUILDER AND MUST MEET WITH 2018 BCBC REQUIREMENTS.
14. PLANS ARE BASED ON THE USE OF #2 OR BETTER SPF, UNLESS OTHERWISE STATED, LAMINATED BEAMS WILL REQUIRE AN ENGINEERS CERTIFICATION. THIS IS THE RESPONSIBILITY OF THE OWNER OR BUILDER.
15. REFER TO ENGINEERED FLOOR JOIST AND ROOF TRUSS LAYOUT TO CONFIRM BEAM, POSTS AND PAD FOOTING LOCATION AND SIZES. ENSURE PROPER BEARING IS PROVIDED FOR ALL BEAMS.
16. ROOF SPACES SHALL BE VENTED WITH ROOF, EAVE AND/OR GABLE END TYPE VENTS OR 1:300 OF THE INSULATED AREA.
17. SITING OF THE HOME IS THE RESPONSIBILITY OF THE BUILDER IN CONJUNCTION WITH THE HOMEOWNER.
18. THE DRAWINGS HAVE BEEN PREPARED TO CONFORM TO THE 2018 EDITION OF THE BRITISH COLUMBIA BUILDING CODE. THE BUILDER IS RESPONSIBLE FOR ENSURING THAT ALL CONSTRUCTION CONFORMS TO THE BCBC AND LOCAL BUILDING CODES AND BYLAWS. ALL CONSTRUCTION AND INSTALLATION OF MATERIALS SHALL BE DONE IN ACCORDANCE WITH GOOD BUILDING PRACTICES AND MANUFACTURING INSTRUCTIONS. LOCAL BUILDING DEPARTMENTS MAY REQUIRE CERTIFICATION FROM A STRUCTURAL ENGINEER FOR PART OR ALL OF THE STRUCTURE. ANY ENGINEERING FEES ARE THE RESPONSIBILITIES OF THE OWNER OR BUILDER.
19. THE INSTALLATION OF ALL PLUMBING, HVAC AND ELECTRICAL EQUIPMENT AND MATERIALS SHALL BE IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS AND THE APPLICABLE SECTIONS OF THE 2018 BCBC.
20. THE SITTING OF THE HOME MUST BE IN COMPLIANCE WITH CITY BYLAWS, BEFORE COMMENCEMENT OF CONSTRUCTION. ENSURE THAT THE SITE PLAN HAS BEEN APPROVED BY THE CITY OFFICIALS.
21. VANITY SIZES ARE FOR REFERENCE ONLY, REFER TO APPROVED KITCHEN LAYOUT FOR CABINET SIZES.
22. CONSTRUCTION LOADS ON THE STRUCTURE CAUSED BY INTERIM STORAGE OF MATERIALS OF USE OF EQUIPMENT, SHALL BE ALLOWED TO EXCEED THE DESIGN LOADINGS.
23. CONFIRM ALL DIMENSIONS ON SITE PRIOR TO BEGINNING OF ANY CONSTRUCTION. ANY DEFICIENCY MUST BE REPORTED TO THE DESIGNER IN WRITTEN OR BY EMAIL AND SHALL BE CORRECTED BEFORE COMMENCING ANY CONSTRUCTION.
24. EXTERIOR DOORS SHALL BE SOLID CORE AND WEATHERSTRIPPED. GARAGE DOORS TO DWELLING TO BE AS ABOVE AND SELF-CLOSING.
25. GRADES SHOWN ON PLANS ARE ESTIMATED. FOUNDATION WALL HEIGHTS AND HOUSE SITTING MAY REQUIRE ADJUSTMENT TO SUIT SITE CONDITIONS.
26. ROOF VENTING SHALL BE IN ACCORDANCE WITH 2018 BCBC.
27. PROVIDE Baffle FOR AIR SPACE (EQUAL TO SOFFIT VENTING) BETWEEN INSULATION AND ROOF SHEATHING AT EXTERIOR WALL LINE.
28. THE FACE OF SHEATHED EXTERIOR WALLS SHALL BE FLUSH WITH FOUNDATION WALLS.
29. WOOD IN CONTACT WITH CONCRETE TO BE DAMP-PROOFED WITH SILL GASKET OR OTHER APPROVED METHOD. PLATES TO BE ANCHORED TO CONCRETE FOUNDATION WITH ANCHOR BOLTS AS SPECIFIED BY STRUCTURAL ENGINEER.
30. THE BUILDER OR CONTRACTOR RESPONSIBLE FOR HIRING STRUCTURAL ENGINEER OR GEOTECHNICAL ENGINEER FOR STRUCTURAL DESIGNS.
31. NOTE TO BUILDER OR CONTRACTOR DOORS AND WINDOW SIZES GIVEN ON ARCHITECTURAL PLANS READ, (EXAMPLE DOOR SIZE 2668 MEANS 2'6"x 6'8" TYPICAL AND WINDOWS 3016 MEANS 3'0"x1'6" TYPICAL.
32. SOLE RESPONSIBILITY OF OWNER/BUILDER/CONTRACTOR/DEVELOPER TO PROVIDE SINGH DRAFTING AND HOME PLANS LTD. WITH STORM/ SANITARY IC INV. ELEVATION AND LOCATION.
33. OWNER/BUILDER TO VERIFY STORM IC ELEVATION AND LOCATION WITH CIVIL ENGINEER.
34. THE CONTRACTOR SHALL CHECK ALL EXISTING GRADES AND LOCATIONS OF CITY SERVICES PRIOR TO CONSTRUCTION.
35. FIRE PROTECTION SHALL CONFIRM TO THE BCBC 2018 EDITION.
36. ALL STAIRS, HANDRAILS AND GUARDRAILS SHALL COMPLY WITH THE BCBC 2018 EDITION.
37. STRUCTURAL CONCRETE TO DEVELOP 20 MPa COMPRESSIVE STRENGTH WITH 28 DAYS EXCEPT CONCRETE USED FOR GARAGE AND EXTERIOR STAIRS SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OR 30 MPa AT 28 DAYS.
38. ALL EXTERIOR CONCRETE SLABS SHALL HAVE AIR-ENTRAINMENT.
39. BEAMS SHALL HAVE EVEN AND LEVEL BEARING AND SHALL HAVE NOT LESS THAN 3.5" LENGTH OF BEARING AT END SUPPORTS.
40. INDIVIDUAL MEMBERS OF A BUILT UP BEAM SHALL BE NAILED TOGETHER WITH A DOUBLE ROW OF NAILS NOT LESS THAN 3.5" IN LENGTH, SPACED NOT MORE MORE THAN 18" APART IN EACH ROW WITH THE END NAILS LOCATED 4" TO 6" FROM THE END OF EACH PIECE.
43. FLOOR JOISTS SHALL HAVE BRIDGING ROWS @ 70" MAX O.C. OR U.N.O.
44. ALL LOAD BEARING INTERIOR AND EXTERIOR LINTELS SHALL BE 2-2x10 U.N.O
45. THE WIDTH OR DIAMETER OF A WOOD COLUMN SHALL BE NOT LESS THAN THE WIDTH OF THE SUPPORTED MEMBER.
46. FLOOR AREA FINISHED WITH CERAMIC TILES TO HAVE MIN. 1/4" PARTICLE BOARD APPLIED OVER SUBFLOOR.

APEX DESIGN GROUP INC.
Address: #202-8484-128th Street, Surrey, BC V3W 4G3
Office: (604) 543-8281 Fax: (604) 543-8248


THESE PLANS CONFORM WITH THE BUILDING SCHEME REGISTERED IN THE LAND TITLE OFFICE

Signature: *[Signature]* Date: OCT 15, 2023
Initials: *[Initials]*


EXTENT OF CONSULTANT'S REVIEW: Plans are reviewed for conformance with the Registered Building Scheme. PLANS ARE NOT REVIEWED FOR: Conformance with the B.C. Building Code or Zoning Bylaws, Structural Integrity or the accuracy of Specifications EXCEPT with respect to the Registered Building Scheme. *S. KAILA*



③ Section 1
1/4" = 1'-0"



① MAIN FLOOR
1/4" = 1'-0"




② GARAGE FLOOR PLAN
1/4" = 1'-0"


THESE PLANS ARE IN COMPLIANCE WITH THE 2018 BCBC



UPPERFLOOR GROSS = 970.07 sf
O.T.B STAIRS = 37.92 sf
UPPERFLOOR NET = 932.15 sf
REAR COV'D DECK = 155.09 sf



UPPERFLOOR GROSS = 967.50 sf
O.T.B STAIRS = 43.75 sf
UPPERFLOOR NET = 923.75 sf
REAR COV'D DECK = 137.96 sf




THESE PLANS ARE IN COMPLIANCE WITH THE 2018 BCBC

● GARAGE RIDGE
61.81

● GARAGE MID
61.14

● GARAGE CEILING
60.46

● GARAGE SLAB
57.41





● GARAGE RIDGE
61.81

● GARAGE MID
61.14

● GARAGE CEILING
60.46

● GARAGE SLAB
57.41



● ROOF RIDGE
66.64

● MEAN HEIGHT
65.27



● ROOF LINE
63.90



● UPPER FLOOR
61.14

● MAIN FLOOR
CEILING
60.78

● MAIN FLOOR
57.71

● AVERAGE GRADE
57.13





THESE PLANS ARE IN COMPLIANCE WITH THE 2018 BCBC